


Tiling layout

A1	A2	A3
B1	B2	B3
C1	C2	C3


Read first!

Open your PDF sewing patterns in the desktop version of Acrobat Reader, and use the **layers** feature to hide the sizes you don't need. Click the PRINT icon, ensuring the **ACTUAL SIZE** option is checked and the orientation is set to default before printing. The control square below is included for size verification. To **assemble**, trim the bottom and right margins of each sheet, then tape them together, aligning the corresponding markers.



© Unfettered Patterns 2025


This is a free sewing pattern and resale or distribution is prohibited.



A1

A2

A2



SIZE KEY

XL	-----
L	-----
M/L	-----
M	-----
S/M	-----
S	-----
XS	-----

PATTERN SYMBOLS

NOTCHES	_____
ADJUSTMEN LINE	=====
MARKING	⊕
BUTTON	×
BUTTONHOLE	_____

unfetteredpatterns.blog
Model #UP1063
Sizes XS-XL

Neckband
Cut 1x fabric

**Hem and seam allowances incl

A1

SIZE KEY

XL

L

M/L

M

S/M

S

XS

B1

Center back

Place this edge
on the fold of the fabric

B1

up

unfetteredpatterns.blog

Model #UP1063

Sizes XS-XL

Back


Cut 1x fabric

**Hem and seam allowances includ


Find the **sewing instructions**, tips and
sizing guide for this project by scanning
the QR code with your smartphone.

OR


Go to **unfetteredpatterns.blog** and enter
UP1063 in the search bar.




B1




Hem allowance
2 cm (3/4")



C1





B2

ce
)

C1

C2



unfetteredpatterns.blog

Model #UP1063

Sizes XS-XL

Front

Cut 1x fabric

xxHem and seam allowances included!xx

Place this edge
on the fold of the fabric

Center front



Hem allowance
2 cm (3/4")

