Unfettered Patterns

UNFETTEREDPATTERNS.BLOG

#UP1069

2-piece set

- Difficulty level: easy
- Sizes: XS-XL
- **Seam alllowances included**



Read first!

Open your PDF sewing patterns in the desktop version of Acrobat Reader, and use the layers feature to hide the sizes you don't need. Click the PRINT icon, ensuring the ACTUAL SIZE option is checked and the orientation is set to default before printing. The control square below is included for size verification. To assemble, trim the bottom and right margins of each sheet, then tape them together, aligning the corresponding markers.



© Unfettered Patterns 2025
This is a free sewing pattern and resale or distribution is prohibited.

Tiling layout

A1	A2	A3
B1	B2	B3
C1	C2	C3
D1	D2	D3




unfetteredpatterns.blog
Model #UP1069
Sizes XS-XL
Armhole band
Cut 2x fabric

A1


Center back
Place this edge on the fold of the fabric
unfetteredpatterns.blog
Model #UP1069
Sizes XS-XL
Back neckband
Cut 1x fabric

A1


A1
A2
A2
s, tips and
scanning
artphone.
OR
and enter
earch bar.


A2
log
Grainline
ances included!xx
A3

unfetteredpatterns.blog
Model #UP1069
Sizes XS-XL

Waist elastic
Cut 1x knitted elastic
2 cm (3/4") wide



B1

A1




B1
Hem allowance
2 cm (3/4")
B2
A2
SIZE KEY
XL
L
M/L
M
S/M
S
XS
Find the **sewing instruction**
sizing guide for this project by
the QR code with your sm
Go to **unfetteredpatterns.blog**
UP1069 in the s
B2

B2

PATTERN SYMBOLS

NOTCHES

ADJUSTMENT LINE

MARKING

BUTTON

BUTTONHOLE

unfetteredpatterns.b
Model **#UP1069**
Sizes **XS-XL**

Shorts
Cut 2x fabric

**Hem and seam allow

B3

A3

Hem allowance
2 cm (3/4")

B1

Hem allowance
2 cm (3/4")

C1

Center front

Place this edge
on the fold of the fabric

C1

unfetteredpatterns.blog
Model #UP1069
Sizes XS-XL

Front
Cut 1x fabric

xxHem and seam allowances included!xx

B2

C1

C2

C2


B3
C2
C3

C1
SIZE KEY
XS
S
S/M
M
M/L
L
XL
D1

C2

Center back

Place this edge
on the fold of the fabric

up

unfetteredpatterns.blo
Model #UP1069
Sizes XS-XL

Back
Cut 1x fabric

**Hem and seam allowan

D1

D2

Hem allowanc
2 cm [3/4"]


C3
ces included
D2